	Туре	Hits	Search Text	DBs	Time Stamp
1	IS&R	4473	(361/679,683,724-727,600,601).C CLS.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 07:34
2	BRS	626	((361/679,683,724-727,600,601). CCLS.) and rack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 10:58
3	BRS	41	(((361/679,683,724-727,600,601). CCLS.) and rack) and blade	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/05 13:34
4	BRS	38	((((361/679,683,724-727,600,601) .CCLS.) and rack) and blade) and power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/09 07:50
5	IS&R		(("3,868,158") or ("4,258,967") or ("4,672,509") or ("4,699,270.") or ("4,774,631") or ("4,879,634") or ("4,977,532.") or ("5,010,444") or ("5,216,579A") or ("5,460,441A") or ("5,570,740A") or ("5,571,256A") or ("5,684,671A") or ("5,877,938A") or ("5,896.273A") or ("6,025,989A") or ("6,058,025A") or ("6,069,797A") or ("-8,075,698A")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 07:51
6	IS&R	1	("6,315,249B1") or ("6,325,636B1") or ("6,496,366B1") or ("6,499,609B")	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 07:51
7	IS&R	17	("6,305,556") or ("6,315,249") or ("6,325,636") or ("6,496,366") or ("20020006026") or ("6,499,609")	CPU JPU	2004/03/08 08:04

i	Туре	Hits	Search Text	DBs	Time Stamp
8	IS&R	0	(("JP11135694") or ("JP8278834") or ("JP3164999") or ("JP5183282") or ("JP7312494") or ("JP8172287")).PN.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 08:32
9	BRS	1672	rack adj mount	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 08:32
10	BRS	565	(rack adj mount) and electronic	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 08:33
11	BRS	202	((rack adj mount) and electronic) and front and rear	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 08:33
12	BRS	136	(((rack adj mount) and electronic) and front and rear) and power	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 08:34
13	BRS	10	((((rack adj mount) and electronic) and front and rear) and power) and midplane	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 09:33
14	BRS	10439	rack and standard and dimension	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 09:36
15	BRS	259	(rack and standard and dimension) and ("24" adj inches)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 09:37
16	BRS	216) and ("19" adj inches)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 09:38

	Туре	Hits	Search Text	DBs	Time Stamp
17	BRS	21	((rack and standard and dimension) and ("24" adj inches)) and ((rack and standard and dimension) and ("19" adj inches))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 09:38
18	BRS	626	((361/679,683,724-727,600,601). CCLS.) and rack	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 10:58
19	BRS	17	(((361/679,683,724-727,600,601). CCLS.) and rack) and back-to-back	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2004/03/08 10:59
20	BRS	80	"EIA 310"	CPU IPU	2004/03/09 07:51
21	BRS	9 .	"RS-310-C"	PPU: JPU:	2004/03/09 07:52